Page 4 of 28

Amendments to the Claims

This listing of claims will replace all prior versions, and listing, of claims in the application.

Listing of Claims:

Claim 1. (Currently Amended) A catheter device comprising: comprising

_______ an elongated body member having a distal portion; _and

______ a deflection mechanism that extends within the elongated body and is operably coupled to the distal portion so as to cause the distal portion to deflect with respect to a longitudinal axis of the elongated body member; member, wherein the catheter device further includes:

______ a guide member;

_____ a guiding mechanism coupled to the elongated body member and configured so as to guide the guide member; and


_____ wherein the guiding mechanism includes an exit portion from which the guide member exits when the guide member is being deployed from the guiding mechanism, where the exit portion is disposed with respect to the distal portion so the distal portion deflects from and with respect to the guide member, when the guide member is in deployed condition.

Claims 2-8. (Cancelled)

Claim 9. (Original) The catheter device of claim 1, wherein the guiding mechanism comprises an artifact on the external surface of the elongated body member and extending axially along the elongated body member, where the artifact and the guide member are configured and arranged so the guide member is moveably retained by the artifact and so as to allow for deployment of the guide member.

Claims 10-14. (Cancelled)

Page 5 of 28




U.S.S.N.: 10/576,424 Response to Office Action Page 6 of 28 deploying the guide member so at least a distal portion thereof is deployed through an opening in, and disposed in, a chamber, vessel or vein of a body; and deflecting the deflectable distal portion with respect to the guide member using the deflection mechanism. Claim 27. (Currently Amended) The tissue ablating method of claim 26, further comprising the step(s) of: (s) contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device. Claim 28. (Currently Amended) The tissue ablating method of claim 27, further comprising the step(s) of: step (s) rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area. Claim 29. (Currently Amended) The tissue ablating method of claim 28, further comprising the steps(s) of: step (s) of: de-activating the ablation device during said rotating; and activating the ablation device after contacting said another tissue area. Claim 30. (Currently Amended) The tissue ablating method of claim 27, claim 28, further comprising the step(s) of: step (s) rotating the deflectable distal portion about the guide member; and maintaining the ablation device in an activated condition as the deflectable distal portion is being rotated about the guide member.

Applicant: Ronald D Berger

Page 7 of 28

Claim 31. (Currently Amended) The tissue ablating method of claim 30, claims-further comprising the step(s) of: step (s) re-configuring the deflectable distal portion during said rotating so as to maintain the at least a part of the distal portion in contact with the tissues. Claims 32-36. (Cancelled) Claim 37. (Currently Amended) A method for ablating tissue in particular atrial tissue, comprising the steps of: providing a deflection catheter device that includes a deflectable distal portion, an ablation device disposed within the deflectable distal portion, a guide member and a guiding mechanism that moveably retains at least a portion of the guide member; localizing an end of the deflectable distal portion with respect to an opening in a chamber, vessel or vein of a mammalian body; deploying the guide member from the guiding mechanism so at least a distal portion thereof is deployed through the opening in, and is disposed in, the chamber, vessel or vein of the mammalian body; deflecting the deflectable distal portion with respect to the guide member; contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within said at least a the part; and actuating the ablation device. Claim 38. (Currently Amended) The tissue ablating method of claim 37, further comprising the step(s) of: step (s) of: rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area.

Page 8 of 28



Claim 47.	(Currently Amended) The method of claim 46, further comprising the step(s)
of: step (s) of:	
contacting	a tissue area including tissues to be ablated with at least a part of the
deflectable portion	, where the ablation device is disposed within the part; and
actuating th	ne ablation device.
Claim 48.	(Currently Amended) The tissue of claim 47, further comprising the step(s)
of: step (s)	·
rotating the	deflectable distal portion about the guide member; and
wherein sai	id contacting includes contacting another tissue area.
Claim 49.	(Currently Amended) The method of claim 48, further comprising the <u>step(s)</u>
of: step (s)	
de-activati	ng the ablation device during said rotating; and
activating t	he ablation device after contacting said another tissue area.
Claims 50-	56. (Cancelled)
Claim 57.	(Currently Amended) A method for treating arrhythmias, comprising the
step(s) of: steps of	÷
providing a deflection catheter device that includes a deflectable distal portion, an	
ablation device dis	posed within the deflectable distal portion, a guide member and a guiding
mechanism that me	oveably retains at least a portion of the guide member;
localizing a	an end of the deflectable distal portion within the left atrium of a mammalian
body and with resp	pect to an opening in a vein;
deploying t	he guide member from the guiding mechanism so at least a distal portion
thereof is deployed	through the opening in, and is disposed in, the vein;
deflecting t	the deflectable distal portion with respect to the guide member:

U.S.S.N.: 10/576,424 Response to Office Action Page 10 of 28 contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device. Claim 58. (Currently Amended) The method of claim 57, further comprising the step(s) of: step (s) of: __rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area. Claim 59. (Currently Amended) The method of claim 58, further comprising the step(s) of: step (s) de-activating the ablation device during said rotating; and activating the ablation device after contacting said another tissue area. Claim 60. (Currently Amended) The method of claim 58, further comprising the step of step (s) of: maintaining the ablation device in an activated condition as the deflectable distal portion is being rotated about the guide member. Claims 61-64. (Cancelled) Claim 65. (Currently Amended) A method for treating left atrial arrhythmia in a left atrium of a mammalian body; comprising the steps of: providing a deflection catheter device that includes a deflectable distal portion, an ablation device disposed within the deflectable distal portion, a guide member and a guiding mechanism that moveably retains at least a portion of the guide member; introducing a portion of the catheter device including the deflectable distal portion into

Applicant: Ronald D Berger

the left atrium; atrium;


Page 11 of 28

positioning an end of the deflectable distal portion with respect to an a pulmonary vein
extending from the left atrium;
deploying the guide member from the guiding mechanism so at least a distal portion
thereof is deployed through the opening in, and is disposed in, the pulmonary vein;
deflecting the deflectable distal portion with respect to the guide member;
contacting a tissue area including tissues to be ablated with at least a part of the
deflectable portion, where the ablation device is disposed within the part; and
actuating the ablation device.
Claim 66. (Currently Amended) The method of claim 65, further comprising the step(s)
of: step (s)
rotating the deflectable distal portion about the guide member; and
wherein said contacting includes contacting another tissue area.
Claim 67. (Currently Amended) The method of claim 66, further comprising the step(s)
of: step (s)
de-activating the ablation device during said rotating; and
activating the ablation device after contacting said another tissue area.
Claim 68. (Currently Amended) The method of claim 66, further comprising the step of
step (s) of: maintaining the ablation device in an activated condition as the deflectable distal

Claims 69-72. (Cancelled)

portion is being rotated about the guide member.

Page 12 of 28



Claim 74. (New) The catheter device of claim 1, wherein the guiding mechanism comprises a channel within the elongated body member and the exit portion comprises a through aperture in a side of the elongated body member that is in communication with the channel, where the guide member is deployed from the through aperture.

Claim 75. (New) The catheter device of claim 15, wherein the guiding mechanism comprises a channel within the elongated body member and the exit portion comprises a through aperture in a side of the elongated body member that is in communication with the channel, where the guide member is deployed from the through aperture.

Claim 76. (New) The tissue ablating method of claim 26, wherein the provided deflection catheter device further includes a body member and a guiding mechanism, wherein the guiding mechanism includes a channel within the body member and a through aperture in a side of the body member that is in communication with the channel, wherein said deploying includes deploying the guide member from the through aperture.

Claim 77. (New) The tissue ablating method of claim 37, wherein the provided deflection catheter device further includes a body member, wherein the guiding mechanism includes a channel within the body member and a through aperture in a side of the body member that is in communication with the channel, and wherein said deploying includes deploying the guide member from the through aperture.

Applicant: Ronald D Berger

U.S.S.N.: 10/576,424

Response to Office Action

Page 13 of 28

Claim 78. (New) The method of claim 46, wherein the provided deflection catheter device further includes a body member and a guiding mechanism, wherein the guiding mechanism includes a channel within the body member and a through aperture in a side of the body member that is in communication with the channel, and wherein said deploying includes

deploying the guide member from the through aperture.

Claim 79. (New) The method of claim 57, wherein the provided deflection catheter device further includes a body member, wherein the guiding mechanism includes a channel within the body member and a through aperture in a side of the body member that is in communication with the channel, and wherein said deploying includes deploying the guide

member from the through aperture.

Claim 80. (New) The method of claim 65, wherein the provided deflection catheter device further includes a body member, wherein the guiding mechanism includes a channel within the body member and a through aperture in a side of the body member that is in communication with the channel, and wherein said deploying includes deploying the guide member from the through aperture.